


# SUBURBANS



LEE COART MOTOR CO.  
107 N. E. GRAND - BE. 4-5331  
PORTLAND 14, OREGON

PLYMOUTH

1960-new Dream Car Suburbans . . . **3 full years ahead** . . . the only station wagons that dare to break the time barrier!



THE SPORT SUBURBAN 4-DOOR V-8 DR 8



6 new Plymouth Suburbans . . . 2-door and 4-door models with Flight-Sweep Styling!



The 1960 4-DOOR SUBURBAN, 4-door F.R. & S. like rear wheel drive (passenger seat side) seats 9 passengers.



The 1960 4-DOOR SUBURBAN, 4-door F.R. & S. like rear wheel drive (passenger seat side) seats 9 passengers.



The 1960 2-DOOR SUBURBAN, 2-door F.R. & S.



The 1960 4-DOOR SUBURBAN, 4-door F.R. & S.

The 1960 Suburbans and the Custom Suburbans are available in solid colors, 2-tone combinations, or with Special White or Silver White.

They are illustrated in white with chrome wheels for illustration purposes only. Chrome wheels, wheel covers, 1960 Suburban wing guards and wheel covers not available in Michigan area only.



**1960 NEW 2-DOOR CAR AND CAB.** New front 2nd seat faces rear in 2-Door Suburban models. For easier entrance, for more leg room, for more visibility. The door with opening third seat in history. It folds away right into the floor.



**1960 NEW EASY-TO-USE REAR "STEPS"** Step up . . . step in . . . step yourself in comfort. Rear "steps" are scooped to left and right of tailgate for easy entrance to the third seat facing the rear in the 9-passenger Plymouth Suburbans.



**1960 NEW TIRE STORAGE.** New tire storage compartment on 9-passenger models. It's new bottom from valve under movable right rear fender. Gives you much more space more with a clear deck for easier loading and unloading.



**1960 FL. LEANS SEATS & PREFERRED.** Plymouth Suburbans have new larger 122 inch wheelbases. Longer length and wheelbase give enhanced passenger comfort and increased cargo space. Seats as many as 9 people.



**A PREFERRED FUEL GAUGE.** Without the need to wait the next morning to fill up the floor, you have results of higher fuel usage. Fuel gauge automatically gauges fuel in any fuel tank.



**1960 NEW INTERIOR SPACE THAN EVER BEFORE.** You can get more, but you can't buy it. Comfort-legend seat, more space, larger 40 cubic foot trunk, one big 1960 new Plymouth Suburban. It's the biggest Suburban in Plymouth history!

Suddenly, it's 1960, 3 full years ahead . . . never before so many advances for your comfort, safety, convenience!

**1960 NEW SECRET LOCKED STORAGE COMPARTMENT.** This feature available on 9-passenger Suburbans. Put your packages out of sight in a storage compartment right in the rear deck floor. Just lock the lid for safekeeping.

**1960 NEW REAR WINDOW IN TAILGATE.** On all models, rear window, clearview, drops into tailgate. Passenger or driver can control rear window electrically on 9-passenger models. On others, rear window rolls open manually.



**EASY ACCESS FRONT SEAT.** In all 2-door Suburbans the front seat is split in one third- and third sections. The narrow section folds forward to provide easy entrance to rear seat without disturbing the driver or passenger.

**1960 NEW TORSION BAR SUSPENSION.** When the car goes over rough roads, power-ful torsion bars twist, and thus absorb bumps before they reach car frame.

**1960 NEW PUSH-BUTTON SHIFTING.** Easy on clutch & gearshift. A positive mechanical transmission control . . . no switches or controls to get out of underfoot.

**1960 NEW TOTAL CONTACT BRAKES.** Old brakes stop only front of wheel. Plymouth's (below) grip the whole surface, make for safer stops and much longer life.

**1960 NEW THERMOPOWER POWER.** A standard new feature. THERMOPOWER engine mount. More space for the engine. More economical. Powerflow is also available.



## SPECIFICATIONS

### FABULOUS FURY "301" V-8 ENGINE

**ENGINE TYPE:** New, bigger displacement, high-compression 8-cylinder Fury "301" V-8 with overhead valves. 301 cu. in. 3.91 bore, 3.13 stroke. Higher (8.5 to 1) compression ratio. New automatic choke. New spool-type rubber shear engine mounts. New quiet, quick-lift camshaft. Adjustable valve tappets. Fury "301" V-8 engine with PowerPak available at moderate extra cost. **FUEL SYSTEM:** Dual filtration includes new woven plastic fuel filter in gas tank and extra fine ceramic filter at carburetor. **FUEL CAPACITY:** 22 gallons. **LUBRICATION:** Full pressure to all crankshaft, camshaft and connecting rod bearings and to valve rocker arms and tappets. Rotor-type oil pump. Shunt-type oil filter (standard on Sport and Custom Suburbans). **COOLING SYSTEM:** Higher capacity, high pressure (14 psi) system. Full-length water jackets. Water pump with ball bearings.

**VENTILATION:** Permanent cowl air intake. Ventilating wings in each front door. New swivel-mounted defrosters (standard with heater) control direction of air flow. **CHASSIS:** Rugged new full-length boxed steel frame. With wider frame rails. Five sturdy cross members.

### POWERFLOW 6 ENGINES

**ENGINE TYPE:** 6-cylinder L-head valve arrangement. Increased compression ratio (8 to 1) automatic choke. Redesigned 3-point engine mounting. Counterbalanced crankshaft with 4 main bearings. Chain-driven camshaft. Aluminum alloy pistons. Top compression ring chrome plated. Adjustable valve tappets with heat-resistant alloy steel exhaust valve seat inserts. **FUEL SYSTEM:** New woven plastic fuel filter in gas tank. **LUBRICATION:** Full pressure to all crankshaft, camshaft and connecting rod bearings. Rotor-type oil pump. Bypass oil filter (standard on most models). **COOLING SYSTEM:** Higher capacity, high pressure (14 psi) system. Water pump with ball bearings.

### V-8 AND 6 MODELS

**FUEL SYSTEM:** Aluminum downdraft carburetor. New replaceable paper element air cleaner. **ELECTRICAL:** 12-volt electrical system. Heavy-duty battery. High capacity, 30 amp. generator with automatic voltage and current control. Ignition-key start switch. Lighting circuit protected with circuit breaker. Trouble-free plastic coated wiring throughout. Resistor-

type spark plugs. Automatic mechanical and vacuum spark control. Splash-proof distributor. **BODY SPECIFICATIONS:** Wheelbase 122". Over-all length 210.9". Over-all width 78.2". Over-all height 6-cyl. models, loaded 57", unloaded 59"; V-8 models, loaded 56.9", unloaded 58.9". **CONSTRUCTION:** All-steel welded, completely rust-proofed and insulated Safety-Body. Box section reinforcements around window and door openings. Baked enamel finish. **STEERING:** Worm and roller-type steering gear. Idler arm steering linkage for maximum controllability. Ball-joint steering knuckles.

**FRONT SUSPENSION:** Combined torsion bar springs and ball joints. Lower unsprung weight. Wide-angle lower control struts. Rubber isolated pivot mountings. Redesigned Oriflow Shock Absorbers.

**REAR SUSPENSION:** Asymmetric stub spring design. Larger, soft jounce cushioners. Rubber isolated rear springs. **DRIVE:** Hotchkiss drive with hypoid rear axle. **BRAKES:** New, 11" Total Contact Brakes. **TIRES AND WHEELS:** New, larger volume tires (10% greater air volume). Size 7.50 x 14. Safety-Rim wheels.

## ACCESSORIES

For the ultimate in driving pleasure and safety, ask your dealer about these specially engineered accessories:

- Push-Button Torque-Flite 3-speed Automatic Transmission (Sport Suburban only)
- Push-Button PowerFlite Overdrive
- Safety-Sure Power Brakes
- Full-Time Power Steering
- Push-Button Power Seat
- Push-Button Power Windows
- Plymouth All-Weather Air Conditioner
- Fresh-Aire Heating-Defrosting System
- 8.00 x 14 Hi-Load Four-Ply Tires
- Front Bumper Wing Guards
- Wheel Covers
- Safety-Padded Instrument Panel and Sun Visors
- Sweep-Second Electric Watch
- Custom Push-Button Radio
- Transistorized "Search-Tune" Radio
- Highway Hi-Fi Record Player
- Locked Storage Compartment (6 passenger Suburbans)
- PowerPak (V-8 only)
- Dual Exhausts
- Solex Tinted Glass
- Undercoating
- Whitewall Tires

The policy of Plymouth Division of Chrysler Corporation is one of continual improvement in design and manufacture wherever possible to assure a still finer car. Hence, specifications, equipment and prices are subject to change without notice.

## DIMENSIONS

- A. Over-all floor length with tailgate open ... 2nd seat and 3rd seat folded flush into floor ... 120.9" over 10 feet.  
 B. Over-all floor length with tailgate

- closed ... 2nd seat and 3rd seat folded flush into floor ... 97.1".  
 C. Over-all floor length with tailgate open ... 2nd seat up and 3rd seat folded flush into floor ... 83.2".

- D. Over-all floor length with tailgate closed ... 2nd seat up and 3rd seat folded ... 64.1".  
 E. Over-all width between rear wheel housings ... 45.7".

- F. Height of rear opening 28.2".  
 G. Width of rear opening 30".  
 Wheelbase, 122". Over-all width, 78.2".  
 Over-all length, 210.9".

